

Dual Hang Bar Instructions Ceiling Hung

Tools Needed:



Phillips
Screwdriver

Step 1




If a 2 piece bar system is used, screw the metal plate to the bar - DO NOT TIGHTEN.

Step 2



Attach second bar to the metal plate with screws. After all screws are installed, tighten all screws.

Step 3




Brackets should be approximately 30" apart. Screw the bracket to the "screw boss" in the tube extrusion. Push firmly during attachment. Repeat for all brackets both top and bottom.




Dual Hang Bar Instructions Ceiling Hung

Step 4



Thread cable through top hole of bracket.
NOTE: be sure to have proper structure to hang unit from ceiling. It cannot be hung from ceiling tile structure.

Step 5



Hook panel onto bars after ceiling assembly.



Dual Hang Bar Instructions

Wall Hung

Tools Needed:




Phillips
Screwdriver

Supplied Hardware:



Wall Anchors
(2 per board)



#10X2 Tap
Screw
(2 per board)

Step 1



If a 2 piece bar system is used, screw the metal plate to the bar - **DO NOT TIGHTEN.**

Step 2



Attach second bar to the metal plate with screws. After all screws are installed, tighten all screws.

Step 3



Brackets should be approximately 30" apart. Screw the bracket to the "screw boss" in the tube extrusion. Push firmly during attachment. Repeat for all brackets both top and bottom.



